

**Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

**U.S. Department of Labor**

Occupational Safety and Health Administration  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072

IDENTITY (as Used on Label and List)  
 Acrylic Saturated Fiberglass (\*See Below)

*Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.*

**Section I**

Manufacturer's name	Emergency Telephone Number
ICO RALLY	650-856-9900
Address (Number, Street, City, State and ZIP Code)	Telephone Number for Information
2575 E Bayshore Rd	650-856-9900
Palo Alto, CA 94303	Date Prepared
	October 1993
	Signature of Preparer (optional)

**Section II Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Fibrous Glass				
OSHA has not established a specific PEL for fibrous glass. It is considered to be a "particulate not otherwise regulated" (PNOR) and is covered under the OSHA nuisance dust PELs of 5 mg/m <sup>3</sup> for the total dust fraction for an 8 hour TWA.				
The coating on this product will not support combustion or emit any hazardous fumes at ambient temperatures.				
ICO RALLY P/N: SLV-1200				

**Section III Physical/Chemical Characteristics**

Boiling Point	Specific Gravity (H <sub>2</sub> O = 1)
N/A	N/A
Vapor Pressure (mm Hg)	Melting Point
N/A	N/A
Vapor Density (AIR = 1)	Evaporation Rate (Butyl Acetate = 1)
N/A	N/A
Solubility in Water	
Not Soluble	
Appearance and Odor	
Various colors, no odor	

**Section IV Fire and Explosion Hazard Data**

Flash Point (Method Used)	Flammable Limits	LEL	UEL
N/A	N/A	N/A	N/A
Extinguishing Media			
Water, foam Co <sub>2</sub> , dry chemicals			
Special Fire Fighting Procedures			
Self contained breathing apparatus			
Unusual Fire and Explosion Hazards			
None			

**Section V Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable		Product is stable
	XXX		

Incompatibility (*Materials to Avoid*)

None

Hazardous Decomposition or Byproducts

Carbon Monoxide, Carbon Dioxide, Other Hydrocarbons, Water

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur		Open Flames
	XXX		

**Section VI Health Hazard Data**

Route(s) of Entry	Inhalation?	Skin?	Ingestion?
	XXX	XXX	N/A

Health Hazards (*Acute and Chronic*)

Inhalation of Dust and fibers may result in upper respiratory tract irritation. Skin contact with dust & fiber may produce itching and temporary irritation. Eye contact with fibers may produce itching and temporary irritation.

Carcinogenicity	NTP?	IARC Monographs?	OSHA Regulated?
N/A	NO	NO	NO

Signs and Symptoms of Exposure

Itching & temporary mechanical irritation.

Medical Conditions

Generally Aggravated by Exposure

Persons with history of chronic respiratory or skin conditions aggravated by mechanical irritants may be at increased risk from exposure to fiberglass.

Emergency and First Aid Procedures

Fresh air, wash with mild soap & running water, avoid scratching or rubbing, flush with water.

**Section VII Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material Is Released or Spilled

N/A

Waste Disposal Method

Incineration or land fill in accordance with Federal, State and Local Regulations.

Precautions to Be Taken in Handling and Storing

None. No DOT hazard label required.

Other Precautions

None

**Section VII Control Measures**

Respiratory Protection (*Specify Type*)

Properly fitted NIOSH/MHSA approved disposable dust respirator.

Ventilation	Local Exhaust	Special
	XXX	NO
	Mechanical ( <i>General</i> )	Other
	General dilution ventilation	N/A

Protective Gloves

XXX

Eye Protection

Safety Glasses, goggles, face shields.

Other Protective Clothing or Equipment

Loose fitting, long sleeve shirts.

Work/Hygienic Practices

Keep work areas clean of dust & fibers, use vacuum equipment, ready access to safety showers and eye wash fountains.